it, storage and disposal facilities. This includes time for this burden to: Chief Information Boliou Branch, Disc.	TO SEE TOILS DIGITALLY FINI-
of generators, 15 minutes for transporters, and 10 minutes for treatment, storage and disposal facilities. This includes time for inference or chief includes time for inference or chief information policy. Persone the restinate including suggestions for reducing this burden to: Chief Information policy.	DO DO 20460, and to the Office of Information and Documentary Affairs Office of Management and Commenter C
verage: 37 minutes for generators, 15 minutes for transporters, and 10 minutes for treatment, storage • form. Send comments regarding the burden estimate, including suggestions for reducing this burds	Series Affects Office of Market
generators, 15 minutes for trans regarding the burden estimate	he Office of Information and Do
ed to average: 37 minutes for generating the form. Send comments rec	Jashington DC 20460: and to t
ta, and completing and review	Agency, 401 M Street, SW, W
eviewing instructions, gathering daily	23, U.S. Environmental Protection

41	IFORM HAZARDOUS VASTE MANIFEST	1. Generator's US EPA II WAD 9807385	The second secon	Oocument No.	2. Pa	1 is not		the shaded areas by Federal law.
Ger	nerator's Name and Mailing Addr	ress				e Manifest Doci	ıment Nu	mber
AL	ASKAN COPPER W	IORKS				The second secon	1000	
SE	ATTLE	WA 98 623-5800	134		B. Stat	te Generator's I	D	
Tran	insporter 1 Company Name		6. US EPA ID Num	ber	C. Stat	te Transporter's	ID	ing (***)
	FETY-KLEEN COR nsporter 2 Company Name	P.	ILD 98490820 8. US EPA ID Num			nsporter's Phon e Transporter's		6 775-703
			OSEI AID NAM	ibe:		sporter's Phon		
	signated Facility Name and Site A	000789	10. US EPA ID Num	ber	G. State	e Facility's ID		700
SAI	FETY-KLEEN COR 540 SE_130TH A	P. VE BLDG B			U Foo	Hara Dr.		
CLA	ACKAMAS	OR 97015	ORD 98176612	24		ility's Phone )3 657-	7000	
. US	S DOT Description (Including Pro	oper Shipping Name, Hazard C	Class and ID Number)	12. Cont. No.		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
x	(PETROLEUM N	BUSTIBLE LIQU APHTHA) NA19 018, D040) (ERG	93 PGIII		DM	//_	G	D039
$\top$				-		_10_		
	28 A 7 M							
						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
<u> </u>	itional Descriptions for Materials							
								<b>4</b>
Spe I <b>F</b>	A) *DO18, DO40 ecial Handling Instructions and A  UNDEL IVERABLE,	RETURN TO GE	NERATOR. FOR RE	CYCLE				
Spe L F E M E	ecial Handling Instructions and A UNDEL I VERABLE ERGENCY RESPONS	RETURN TO GET SE#800-468-17	60 24HR. 9740 94157766	47500	5 7-C	992-01-7	<b>7186</b> y proper	O9 shipping name and
Spe FEME GE are gove	UNDEL I VERABLE, ERGENCY RESPONS  ENERATOR'S CERTIFICATION classified, packed, marked, and rermment regulations.	RETURN TO GEI SE#800-468-176  V: I hereby declare that the of labeled, and are in all responses to the control of the control	50 24HR. 9740 94157766  contents of this consignment are projects in proper condition for the	47500c fully and accansport by high	urately des hway accor ATTA	cribed above by ding to applical CHMENT	y proper ble interna	o9 shipping name and ational and national
Spe FME GE are gove If I	ecial Handling Instructions and A UNDEL I VERABLE, ERGENCY RESPONS ENERATOR'S CERTIFICATION classified, packed, marked, and	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of d labeled, and are in all resp certify that I have selected the able and that I have selected the salt to human health and the eny	50 24HR. 9740 94157766  contents of this consignment are prects in proper condition for the place to reduce the volume and practicable method of treatment; irrogment; OB, if Lam a small que	475000 a fully and accommodate by high statement by high statement by high statement by high statement by dependent by dep	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree	y proper ble interna	shipping name and attional and national
Specific Spe	EVENT OF THE PROPERTY OF THE P	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of d labeled, and are in all resp certify that I have selected the able and that I have selected the salt to human health and the eny	50 24HR. 9740 94157766  contents of this consignment are prects in proper condition for the place to reduce the volume and practicable method of treatment; irrogment; OB, if Lam a small que	475000 a fully and accommodate by high statement by high statement by high statement by high statement by dependent by dep	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree	y proper ble interna	shipping name and attional and national and national Date  Month Day Yea
Spe F ME GE are gove If I dete mini mini	ecial Handling Instructions and A UNDEL I VERABLE, ERGENCY RESPONS ENERATOR'S CERTIFICATION classified, packed, marked, and remment regulations.  am a large quantity generator, I dermined to be economically practic imizes the present and future thre imize my waste generation and selected Typed Name ECAAD A. The	RETURN TO GEI SE#800-468-176  N: I hereby declare that the declared in all responsible and that I have a program in the case of the case o	24HR, 9740 94157766  contents of this consignment are pects in proper condition for the place to reduce the volume and practicable method of treatment. (OR, if I am a small que method that is available to the and	475000 a fully and accommodate by high statement by high statement by high statement by high statement by dependent by dep	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree by available to me	y proper ble interna	shipping name and attional and national Date  Month Day Yea
Spe F ME GE are gove If I dete mini mini	EVENT OF THE PROPERTY OF THE P	RETURN TO GEI SE#800-468-176  N: I hereby declare that the declared in all responsible and that I have a program in the case of the case o	24HR, 9740 94157766  contents of this consignment are pects in proper condition for the place to reduce the volume and practicable method of treatment. (OR, if I am a small que method that is available to the and	475000 a fully and accommodate by high statement by high statement by high statement by high statement by dependent by dep	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree by available to me	y proper ble interna	shipping name and attional and national and national Date  Month Day Yea
Speed	ecial Handling Instructions and A UNDEL I VERABLE, RESPONSE RESPONSE PROPERTY RESPON	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of labeled, and are in all responsible and that I have a program in table and that I have selected the part to human health and the enveloct the best waste management  Receipt of Materials	24HR, 9740 94157766 contents of this consignment are pects in proper condition for the place to reduce the volume and practicable method of treatment, irronment; OR, if I am a small que method that is available to the and	475000 a fully and accommodate by high statement by high statement by high statement by high statement by dependent by dep	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree by available to me	y proper ble interna	shipping name and attional and national and national Date    Date   Month Day Yea   125   50   50   50   50   50   50   50
Speed	ecial Handling Instructions and A UNDEL I VERABLE REGENCY RESPONS  ENERATOR'S CERTIFICATION classified, packed, marked, and vernment regulations.  am a large quantity generator, I ermined to be economically practic imizes the present and future thre imize my waste generation and selectory and the different forms of the	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of labeled, and are in all responsible and that I have a program in table and that I have selected the part to human health and the enveloct the best waste management  Receipt of Materials	50 24HR. 5740 94157766 contents of this consignment are occts in proper condition for tr. place to reduce the volume and practicable method of treatment, ironment; OR, if I am a small quamethod that is available to the and Signature  Signature	475000 a fully and accommodate by high second to toxicity of was storage, or disponentity generator.	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree by available to me	y proper ble interna	shipping name and attional and national and national and national and national Date    Date   Park
Speed	ecial Handling Instructions and A UNDEL I VERABLE REGENCY RESPONS  ENERATOR'S CERTIFICATION classified, packed, marked, and rermment regulations.  am a large quantity generator, I remined to be economically practic imizes the present and future thre imize my waste generation and selection of the description of the d	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of labeled, and are in all responsible and that I have a program in table and that I have selected the part to human health and the enveloct the best waste management  Receipt of Materials	24HR, 9740 94157766 contents of this consignment are pects in proper condition for the place to reduce the volume and practicable method of treatment, irronment; OR, if I am a small que method that is available to the and	475000 a fully and accommodate by high second to toxicity of was storage, or disponentity generator.	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree by available to me	y proper ble interna	shipping name and attional and national and national and national and national Date    Date   Company   Co
Specific Spe	ecial Handling Instructions and A UNDEL I VERABLE REGENCY RESPONS  ENERATOR'S CERTIFICATION classified, packed, marked, and vernment regulations.  am a large quantity generator, I ermined to be economically practic imizes the present and future thre imize my waste generation and selectory and the different forms of the	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of labeled, and are in all responsible and that I have a program in table and that I have selected the part to human health and the enveloct the best waste management  Receipt of Materials	50 24HR. 5740 94157766 contents of this consignment are occts in proper condition for tr. place to reduce the volume and practicable method of treatment, ironment; OR, if I am a small quamethod that is available to the and Signature  Signature	475000 a fully and accommodate by high second to toxicity of was storage, or disponentity generator.	ATTA te generate sal current	cribed above by ding to applicate CHMENT of to the degree by available to me	y proper ble interna	shipping name and attional and national and national and national and national Date    Date   Park
Specific Spe	ecial Handling Instructions and A UNDEL I VERABLE REGENCY RESPONS  ENERATOR'S CERTIFICATION classified, packed, marked, and rermment regulations.  am a large quantity generator, I remined to be economically practic imizes the present and future thre imize my waste generation and selection of the description of the d	RETURN TO GEI SE#800-468-176  N: I hereby declare that the of labeled, and are in all responsible and that I have a program in the labeled and that I have selected the earliest the best waste management  Output Receipt of Materials  Receipt of Materials	24HR, 9740 94157766  contents of this consignment are pects in proper condition for the place to reduce the volume and practicable method of treatment. ironment; OR, if I am a small que method that is available to the and Signature  Signature  Signature  Signature	475000 a fully and accommodate by high second to toxicity of was storage, or disponentity generator.	ATTACHE GENERAL SERVICE OF THE CONTROL OF THE CONTR	ceribed above bedding to applicate to the degree ly available to me de a good faith e	y proper only proper internal law e symbols which affort to	shipping name and attional and national and national and national and national Date    Date   Park

ORIGINAL-RETURN TO GENERATOR

۵	ō	Ě
Ě	Ļ	Ę.
ď	3	2:
Ξ	à	3
Ę	<u>}</u>	Ì
Ų.	3	ဒိုင္က
-	: 6	ริลี
S	4	8
2	Ę	
ent. Storade and disposal facilità	hiof Inf	용
Sa	ă	; <u>=</u>
ă	5	/as
Ö	ċ	ح ج
ä	5.0	<u>6</u>
90	, 5	ă
9	Ē	ਕੂ ਹ
5	Š	<u>5</u>
en	Ę	ē
E	<u>.</u>	텵
9	ē	ğ
5	5	₽
S	S	₹
Ĕ	<u>5</u>	8
Ē	est	5
sporters, and 10 I	8	ရှိ ရှိ
2	20	Ħai,
	Ę	χ×
Ě	픙	ğ
Š	.⊑	물
2	žĘ.	ě
2	Ë	ᅙ
2	es	ä
52.53	den estima	ģ
₹	밀	Ша
Ξ	ā	10
-	Ĕ	£
5	<u>_</u>	, Q
ğ	ard	鈍
<u> </u>	퉏	the Office
֚֓֞֝֝֟֝֓֓֓֟֝֝֟ ֓֓֞֞֞֞֓֓֞֞֩֞֞֩֞֞֩֞֞֩֞֞֩֞֞֩֞֞֩֞֞	2	£
2	ğ	물
200	Ē	쯢
Ĕ	<u>ಜ</u>	ö
- C - S - S - S - S - S - S - S - S - S	뚦	\$
'n	Š	S
ş	E	٥
ē	우	₫
5	₹	Ē
į	<u>g</u>	S.
2	ĕ	×, ×,
מפתוושנים ומ	<u>§</u>	
3	ᅙ	M Street, S
2	ā	e
2	ਛੁੱ	
3	음	፷
	Ĕ	\$
5	õ	ત્તું
5	a, an	<u>ĕ</u>
Š	Ħ,	Ą
5	ğ	ē
2 .	Ē	Ö
	喜	ğ
?	g	<u>_</u>
į	th.	eut
	텵	Ē
9	豆豆	<u>5</u>
	Ľ.	Ē
}	g	σį
	ĕ.	⊃.
io ionogino oui io ionio filiminato cuen i	š	eg N
	_	w

_2	WASTE MANIFEST	No. <b>16</b>	Manifest Document No.			is no		in the shaded areas ired by Federal law.	
1	Generator's Name and Mailing Address ALASKAN COPPER WORK 3200 6TH AVE S SEATTLE	WA 981	.34	<u> </u>			r e Manifest Doc te Generator's		mber
	Generator's Phone ( Transporter 1 Company Name	3-3600	6. US	EPA ID Number		6 6	ite Transporter		
•	SAFETY-KLEEN CORP.			4908202			nsporter's Pho		6 775-703
	Transporter 2 Company Name		8. US	EPA ID Number	r	PROFESSION (C. 1900)	te Transporter nsporter's Pho	446.00	
*	Designated Facility Name and Site Addre SAFETY-KLEEN CORP. 16540 SE 130TH AVE CLACKAMAS	*****		EPA ID Number		G. Stat	te Facility's ID		December 1
١.	. US DOT Description (Including Proper S	Shipping Name, Hazard Cla	ass and ID Numb	er)	12. Conta	iners	13. Total	14. Unit	I. Waste No.
	X (PETROLEUM NAP) (DO39. DOOR, DO18	1THA) NA199	9 POIII	-	/	DM	Quantity /6	Wt/Vol	D039 D008+
				,					
_									2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	Additional Descriptions for Materials Lister	d Above		***		K. Hand	ing Codes for	Wastes Li	sted Above
-	(A) *DO18. DO40  Special Handling Instructions and Addition  F UNDELTVERABLE, RESPONSE	onal Information TURN TO GEN 1800-468-176	0 24HR. 740 941	57766	475000	5 7-c	)92-01-	7186	09
-	(A) *DO18. DO40  Special Handling Instructions and Additions  IF UNDELIVERABLE. RE	ponal Information  TURN TO GEN  BOO-468-176  hereby, declare that the co- poled, and are in all respendent that I have a program in pand that I have selected the phuman health and the envir	ontents of this coats in proper coolace to reduce the practicable methodonment; OR, if I a	onsignment are fundition for trans e volume and to: of treatment, storm a small quantiti	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	09
	Special Handling Instructions and Addition of the Company of the C	ponal Information  TURN TO GEN  BOO-468-176  hereby, declare that the co- poled, and are in all respendent that I have a program in pand that I have selected the phuman health and the envir	ontents of this coats in proper coolace to reduce the practicable methodonment; OR, if I a	onsignment are fundition for trans e volume and to: of treatment, stoi m a small quantil	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	shipping name and ational and national
	Special Handling Instructions and Addition  FUNDELT VERABLE, REMERGENCY RESPONSE  GENERATOR'S CERTIFICATION: I are classified, packed, marked, and labe government regulations.  If I am a large quantity generator, I certify determined to be economically practicable a minimizes the present and future threat to minimize my waste generation and select the Printed/Typed Name	hereby, declare that the colled, and are in all respect that I have a program in pund that I have selected the human health and the envirue best waste management man	ontents of this coets in proper coolace to reduce the practicable methodonment; OR, if I anethod that is available.	onsignment are fundition for trans e volume and to: of treatment, stoi m a small quantil	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	shipping name and ational and national
3.	Special Handling Instructions and Addition  FUNDE TYPE ABLE, REMERGENCY RESPONSE  GENERATOR'S CERTIFICATION: I are classified, packed, marked, and labe government regulations.  If I am a large quantity generator, I certify determined to be economically practicable a minimizes the present and future threat to minimize my waste generation and select the Printed/Typed Name  Trapsporter 1 Acknowledgement of Received/Typed Name	hereby, declare that the colled, and are in all respect that I have a program in pund that I have selected the human health and the envirue best waste management man	ontents of this coets in proper coolace to reduce the practicable methodonment; OR, if I anethod that is available.	onsignment are foundition for trans e volume and to: m a small quantil able to me and th	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	shipping name and attional and national Date  Month Day Ye
	Special Handling Instructions and Addition of the Company of the C	hereby declare that the co- eled, and are in all respect that I have a program in part that I have selected the phuman health and the envirue best waste management in the point of Materials	740 941 ontents of this or cots in proper or olace to reduce the oracticable method onment; OR, if I anethod that is avai	onsignment are foundition for trans e volume and to: m a small quantil able to me and th	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	shipping name and attional and national Date  Month Day Ye  Date
. 16	Special Handling Instructions and Addition of the Company of the C	hereby declare that the co- eled, and are in all respect that I have a program in part that I have selected the phuman health and the envirue best waste management in the point of Materials	740 941 ontents of this or cots in proper or olace to reduce the oracticable method onment; OR, if I anethod that is avai	onsignment are fundition for trans e volume and to: of treatment, sto m a small quantit able to me and the	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	shipping name and attonal and national and national and national Date  Month Day Ye  Date  Month Day
3.	Special Handling Instructions and Addition of Paragraph of Response of Paragraph (Acknowledgement of Receptive Paragraph (Ackn	hereby declare that the co- eled, and are in all respect that I have a program in part that I have selected the phuman health and the envirue best waste management in the point of Materials	ontents of this cocts in proper of cocts in proper of cocts in proper of collace to reduce the practicable method comment; OR, if I an eithod that is avail Signatu	onsignment are fundition for trans e volume and to: of treatment, sto m a small quantit able to me and the	475000 ally and acceport by high SEE kicity of wastrage, or disport	urately de way accor e generati sal curren I have ma	D92-01- escribed above ording to applic CHMENT et to the degree et ty available to n	by proper able internee I have ne which	shipping name and attional and national and national and national and national Date  Month Day Ye  Date  Month Day  Date
3.	Special Handling Instructions and Addition  FUNDEL TYPE ABLE, REMERGENCY RESPONSE  GENERATOR'S CERTIFICATION: I are classified, packed, marked, and labe government regulations.  If I am a large quantity generator, I certify determined to be economically practicable a minimizes the present and future threat to minimize my waste generation and select the Printed/Typed Name  Transporter 1 Acknowledgement of Received Transporter 2 Acknowledgement Officer 2 Acknowledgeme	hereby, declare that the colled, and are in all respectively. The colled, and are in all respectively. The colled is a colled, and the environment of the colled is a colled in the coll	ontents of this cocts in proper cocts in proper cocts in proper cocts of the cocts in proper cocts in prop	onsignment are findition for trans e volume and to: of treatment, similable to me and the	47500c ally and high se E. cicity of wast age, or dispo- ty generator, at I can afford	urrately de laway acco	escribed above prding to applic the second policy of the degree tity available to nade a good faith	by proper able internee I have ne which	shipping name and attional and national and national and national and national Date  Month Day Ye  Date  Month Day  Date
3.	Special Handling Instructions and Addition  FUNDEL VERABLE, REMERGENCY RESPONSE  GENERATOR'S CERTIFICATION: I are classified, packed, marked, and labe government regulations.  If I am a large quantity generator, I certify determined to be economically practicable a minimizes the present and future threat to minimize my waste generation and select the Printed/Typed Name  Transporter 1 Acknowledgement of Received Transporter 2 Acknowledgement of Received Transporter 2 Acknowledgement of Received Transporter 2 Acknowledgement of Received Typed Name	hereby, declare that the colled, and are in all respectively. The colled, and are in all respectively. The colled is a colled, and the environment of the colled is a colled in the coll	ontents of this cocts in proper cocts in proper cocts in proper cocts of the cocts in proper cocts in prop	onsignment are findition for trans e volume and to of treatment, since m a small quantifiable to me and the re	47500c ally and high se E. cicity of wast age, or dispo- ty generator, at I can afford	urrately de laway acco	escribed above prding to applic the second policy of the degree tity available to nade a good faith	by proper able internee I have ne which	shipping name and ational and national and national Date  Month Day Ye  Date  Month Day Ye  Date  Month Day Ye
3.	Special Handling Instructions and Addition  FUNDE TYERABLE, REMERGENCY RESPONSE  GENERATOR'S CERTIFICATION: 1 are classified, packed, marked, and labe government regulations.  If I am a large quantity generator, I certify determined to be economically practicable a minimizes the present and future threat to minimize my waste generation and select the Printed/Typed Name  Transporter 1 Acknowledgement of Recellary Printed/Typed Name  Transporter 2 Acknowledgement of Recellary Printed/Typed Name  Discrepancy Indication Space	hereby, declare that the colled, and are in all respectively. The colled, and are in all respectively. The colled is a colled, and the environment of the colled is a colled in the coll	ntents of this cocts in proper cocts in proper cocts in proper cocts in proper cocts of the corts of the cort	onsignment are findition for trans e volume and to of treatment, since m a small quantifiable to me and the re	47500c ally and high se E. cicity of wast age, or dispo- ty generator, at I can afford	urrately de laway acco	escribed above prding to applic the second policy of the degree tity available to nade a good faith	by proper able internee I have ne which	shipping name and attional and national and

## LAND DISPOSAL RESTRICTION AND WASTE ANALYSIS CRITERIA FORM

safety-kleen»

HC NOTICE: GENERATOR IS NOT REQUIRED TO LIST UNDERLYING CONSTITUENTS BECAUSE TREATER WILL MONITOR FOR ALL REGULATED CONSTITUENTS PRIOR TO DISPOSAL.

SAFETY-KLEEN CORP. (DESIGNATED FACILITY)

EPA ID NO.

ORD981766124

CO(DESIGNATED FACILITY) 1997-4(

7-092-01-7186 MAN DUC: 75006

ADDRESS

16540 SE 130TH AVE BLDG B

CLACKAMAS DR 97015

Under manifest/sales service number the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment. THE WASTE MAY CONTAIN THE FOLLOWING RESTRICTED CONSTITUENTS TREATMENT STANDARD
OR METHOD D001 Ignitable Liquid (High TOC Subcategory) Combustion (CMBST) Halogenated Organic Compounds (HOC's)≥1000 mg/l or recovery (RORGS)(40 CFR 268.42)(non-waste water) Waste Petroleum D006 Cadmium Е 1.0 (non-waste water) MG/L Naphtha 105 D008 Lead 5.0 (non-waste water) MG/L A S D018 Benzene 10 (non-waste water) MG/KG D027 1. 4-Dichlorobenzene 6.0 (non-waste water) MG/KG Tetrachloroethylene D039 П 6.0 (non-waste water) MG/KG D040 Trichloroethylene 6.0 (non-waste water) MG/KG Ignitable Liquid (High TOC Subcategory) CMBST, or RORGS (40 CFR 268.42)(non-waste water) D001 D006 Cadmium 1.0 (non-waste water) MG/L Waste Petroleum D008 Lead 5.0 (non-waste water) MG/L Naphtha D018 Benzene 140 10 (non-waste water) MG/KG D039 Tetrachloroethylene 6.0 (non-waste water) MG/KG Н D006 Cadmium 1.0 (non-waste water) MG/L Е Actrel Solvent D008 Lead 5.0 (non-waste water) MG/L D018 Benzene 10 (non-waste water) MG/KG (If customer specific D039 Tetrachloroethylene TCLP is not available) 6.0 (non-waste water) MG/KG D040 Trichloroethylene 6.0 (non-waste water) MG/KG P P D006 Cadmium 1.0 (non-waste water) MG/L Aqueous Parts Washer D039 <u>Tetrachloroethylene</u> 6.0 (non-waste water) MG/KG R D008 Lead 5.0 (non-waste water) MG/L 0 D018 Benzene 10 (non-waste water) MG/KG Waste Petroleum Ρ D039 Tetrachloroethylene 6.0 (non-waste water) MG/KG Naphtha R D040 Trichloroethylene 6.0 (non-waste water) MG/KG D006 Cadmium 1.0 (non-waste water) MG/L ì Aqueous Brake Cleaner D039 Tetrachloroethylene 6.0 (non-waste water) MG/KG D040 Trichloroethylene 6.0 (non-waste water) MG/KG T Ignitable Liquid (High TOC Subcategory) D001 CMBST, or RORGS (40 CFR 268.42)(non-waste water) Waste Petroleum Naphtha (sludges from D006 Cadmium 1.0 (non-waste water) MG/L Safety-Kleen Service Lead 5.0 (non-waste water) MG/L D008 Center Operations) D039 Tetrachloroethylene 6.0 (non-waste water) MG/KG В Photo Imaging D011 O X Silver 5.0 (non-waste water) MG/L D006 Cadmium 1.0 (non-waste water) MG/L D008 П Lead 5.0 (non-waste water) MG/L D018 Waste Compound Benzene 10 (non-waste water) MG/KG D027 1, 4-Dichlorobenzene Cleaning Liquid/ 6.0 (non-waste water) MG/KG D039 Tetrachloroethylene Immersion cleaner 699 6.0 (non-waste water) MG/KG D040 Trichloroethylene 6.0 (non-waste water) MG/KG Waste Gasoline D001 Ignitable Liquid (High TOC Subcategory) CMBST, or RORGS (40 CFR 268.42)(non-waste water) Filters D018 Benzene 10 (non-waste water) MG/KG **MACHINE SPECIFIC** EXCESS FLUID IN DRUM? OFF-COLOR? | MORE THAN 30% UNUSUAL **UNUSUAL MATERIALS** UPT-0241 INCLUDED/ADDED? (Y/N) NUMBER GRAVITY SOLIDS? (Y/N) (MS>2/3)(C>1/3)(Y/N) ODOR? (Y/N) 33150 STATE SPECIFIC GRAVITY ACCEPTANCE GUIDELINES

FORM 1339 (5/97)

GENERATOR

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

*These treatment standards do not preclude reclamation prior to	

ALASKAN COPPER WORKS

SALES REPRESENTATIVE SIGNATURE

EPA ID NO.: \_\_\_\_W

\*\*

WAD980738546

NO SIGNATURE REQUIRED \*\*

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restriction.